Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1225	(@ad<"20030829" or @rlad<"20030829") and (Ins\$1 or (L2tP near network near server\$1))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/12/04 18:26
S33	466	(@ad<"20030829" or @rlad<"20030829") and (Ins\$1 or (L2tP near network near server\$1)) and (lac\$1 or (access near concentrator))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 17:10
S34	261	(@ad<"20030829" or @rlad<"20030829") and (Ins\$1 or (L2tP near network near server\$1)) and (lac\$1 or (access near concentrator)) and load\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 17:11
S35	30	(@ad<"20030829" or @rlad<"20030829") and (Ins\$1 or (L2tP near network near server\$1)) and (lac\$1 or (access near concentrator)) and load\$4 and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 17:44
S36	14	(@ad<"20030829" or @rlad<"20030829") and (lns\$1 or (L2tP near network near server\$1)) and (lac\$1 or (access near concentrator)) and select\$4 near15 (lns\$1 or (L2tP near network near server\$1)) and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:05
S37	14	(@ad<"20030829" or @rlad<"20030829") and select\$4 near15 (lns\$1 or (L2tP near network near server\$1)) and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:05
S38	0	(@ad<"20030829" or @rlad<"20030829") and select\$4 near15 (Ins\$1 or (L2tP near network near server\$1)) and tunnel\$4 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR .	OFF	2007/12/04 18:05

S39	5	(@ad<"20030829" or @rlad<"20030829") and select\$4 near15 tunnel\$4 near terminat\$4 near (device\$1 or server\$1) and tunnel\$4 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:07
S40	3989128	(@ad<"20030829" or @rlad<"20030829") and select\$4 (device\$1 or server\$1) same weight\$4 same tunnel\$4 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:08
S41	14	(@ad<"20030829" or @rlad<"20030829") and select\$4 near10 (device\$1 or server\$1) same weight\$4 same tunnel\$4 not S36	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:09
S42	14	(@ad<"20030829" or @rlad<"20030829") and select\$4 near10 (device\$1 or server\$1) same weight\$4 same tunnel\$4 not S36 and weight\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:09
S43	94	(@ad<"20030829" or @rlad<"20030829") and select\$4 near10 (device\$1 or server\$1) same (weight\$4 load\$4) same tunnel\$4 not S36 and weight\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/04 18:10

12/7/07 10:41:17 AM C:\Documents and Settings\plee2\My Documents\EAST\Workspaces\10652672pcl.wsp

Page 2

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	2482	(@ad<"20030829" or @rlad<"20030829") and 709/226. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:43
L2	14	(@ad<"20030829" or @rlad<"20030829") and (Ins\$1 or (L2tP near network near server\$1)) and (lac\$1 or (access near concentrator)) and select\$4 near15 (Ins\$1 or (L2tP near network near server\$1)) and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:42
L3	0	(@ad<"20030829" or @rlad<"20030829") and 709/226. ccls. and select\$4 near10 (device\$1 or server\$1) same (weight\$4 load\$4) same tunnel\$4 not L2 and weight\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:43
L4	0	(@ad<"20030829" or @rlad<"20030829") and 709/226. ccls. and (lns\$1 or (L2tP near network near server\$1)) and (lac\$1 or (access near concentrator)) and select\$4 near15 (lns\$1 or (L2tP near network near server\$1)) and tunnel\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:42
L5	236	(@ad<"20030829" or @rlad<"20030829") and 370/237. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:43
L6	4749	(@ad<"20030829" or @rlad<"20030829") and 370/401. ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:43

L7	. 1	(@ad<"20030829" or @rlad<"20030829") and 370/401. ccls. and select\$4 near10 (device\$1 or server\$1) same (weight\$4 load\$4) same tunnel\$4 not L2 and weight\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:43
L8	1	(@ad<"20030829" or @rlad<"20030829") and 370/237. ccls. and select\$4 near10 (device\$1 or server\$1) same (weight\$4 load\$4) same tunnel\$4 not L2 and weight\$4	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/12/07 10:43

Page 2